

**MOVENTO**Version 1 / GB
102000016434

1/8

Revision Date: 26.08.2009

Print Date: 03.03.2010

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING**Product information**

Trade name MOVENTO
Product code (UVP) 06082040
Usage Insecticide
Company Bayer CropScience Limited
230 Cambridge Science Park
Milton Road
Cambridge
Cambridgeshire CB4 0WB
Great Britain

Telephone +44(0)1223 226500
Telefax +44(0)1223 426240
Responsible Department Email: ukinfo@bayercropscience.com

Emergency telephone number 0800-220876 (UK 24 hr)
+44(0)1603-242424 (Overseas 24 hr)

2. HAZARDS IDENTIFICATION**Risk advice to man and the environment**

May cause sensitization by skin contact.
Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

3. COMPOSITION/INFORMATION ON INGREDIENTS**Chemical nature**

Oil dispersion (OD)
Spirotetramat 150 g/l

Hazardous components

Chemical Name	CAS-No. / EC-No.	Symbol(s)	R-phrase(s)	Concentration [%]
Spirotetramat	203313-25-1	Xi, N	R36, R43, R51/53	15.31
2-Ethylhexanol propylene ethyleneglycol ether	64366-70-7		R52/53	> 1.00 - < 25.00
Fatty alcohol ethoxylate	380223-00-7	Xn, N	R22, R41, R50	> 0.25 - < 2.50

For the full text of the R-phrases mentioned in this Section, see Section 16.

4. FIRST AID MEASURES**General advice**

Move out of dangerous area. Place and transport victim in stable position (lying sideways).
Remove contaminated clothing immediately and dispose of safely.



MOVENTO

Version 1 / GB
102000016434

2/8

Revision Date: 26.08.2009

Print Date: 03.03.2010

Inhalation

Move to fresh air. Keep patient warm and at rest. Call a physician or poison control center immediately.

Skin contact

Wash off thoroughly with plenty of soap and water, if available with polyethyleneglycol 400, subsequently rinse with water. If symptoms persist, call a physician.

Eye contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Get medical attention if irritation develops and persists.

Ingestion

Rinse mouth. Do NOT induce vomiting. Call a physician or poison control center immediately.

Notes to Physician

Treatment

Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Extinguishing media which should not be used for safety reasons

High volume water jet

Specific hazards during fire fighting

In the event of fire the following may be released:

Hydrogen cyanide (hydrocyanic acid)

Carbon monoxide (CO)

Nitrogen oxides (NO_x)

Special protective equipment for fire-fighters

In the event of fire and/or explosion do not breathe fumes.

In the event of fire, wear self-contained breathing apparatus.

Further information

Contain the spread of the fire-fighting media.

Do not allow run-off from fire fighting to enter drains or water courses.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions

Avoid contact with spilled product or contaminated surfaces.

Use personal protective equipment.

Environmental Precautions

Do not allow to get into surface water, drains and ground water.

If spillage enters drains leading to sewage works inform local water company immediately.

If spillage enters rivers or watercourses, inform the Environment Agency (emergency telephone number 0800 807060).

**MOVENTO**Version 1 / GB
102000016434

3/8

Revision Date: 26.08.2009

Print Date: 03.03.2010

Methods for cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder).
Clean contaminated floors and objects thoroughly, observing environmental regulations.
Keep in suitable, closed containers for disposal.

Additional Advice

Information regarding safe handling, see section 7.
Information regarding personal protective equipment, see section 8.
Information regarding waste disposal, see section 13.

7. HANDLING AND STORAGE**Handling**

Advice on safe handling

Use only in area provided with appropriate exhaust ventilation.

Storage

Requirements for storage areas and containers

Store in original container.

Keep containers tightly closed in a dry, cool and well-ventilated place.

Store in a place accessible by authorized persons only.

Store bulk material and packed materials in a closed warehouse or under cover protected against direct sunlight and frost.

Advice on common storage

Keep away from food, drink and animal feedingstuffs.

Temperature tolerance	min.	max.
	-10 °C	40 °C

Suitable materials

Coextruded containers with an internal barrier layer made of ethylene vinyl alcohol copolymer (EVOH)

Coextruded containers with an internal barrier layer made of polyamide (PA)

Deformation through oxygen consumption possible.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Refer to COSHH assessment (Control of Substances Hazardous to Health (Amendment) Regulations 2004). Engineering controls should be used in preference to personal protective equipment wherever practicable. Refer also to COSHH Essentials.

Components with workplace control parameters

Components	CAS-No.	Control parameters	Update	Basis
Spirotetramat	203313-25-1	2.8 mg/m ³ (TWA)		OES BCS*

*OES BCS: Internal Bayer CropScience "Occupational Exposure Standard"

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory Protection	No personal respiratory protective equipment normally required.
------------------------	---

**MOVENTO**Version 1 / GB
102000016434

4/8

Revision Date: 26.08.2009

Print Date: 03.03.2010

Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's instructions regarding wearing and maintenance.

Hand protection

Wear CE Marked (or equivalent) nitrile rubber gloves (minimum thickness 0,40 mm). Wash when contaminated. Dispose of when contaminated inside, when perforated or when contamination outside cannot be removed. Wash hands always before eating, drinking, smoking or using the toilet.

Eye protection

Wear goggles conforming to EN166 (Field of Use 5 or equivalent).

Skin and body protection

Wear standard coverall and type 3 suit.
Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently.
If chemical protection suit is splashed, sprayed or significantly contaminated, decontaminate as far as possible, then carefully remove and dispose of as advised by manufacturer.

Hygiene measures

Avoid contact with skin, eyes and clothing.
Keep working clothes separately.
Wash hands immediately after work, if necessary take a shower.
Remove soiled clothing immediately and clean thoroughly before using again.
Garments that cannot be cleaned must be destroyed (burnt).

Protective measures

If product is handled while not enclosed, and if contact may occur:
Complete suit protecting against chemicals

9. PHYSICAL AND CHEMICAL PROPERTIES**Appearance**

Form	suspension
Colour	light beige to brownish
Odour	weak, characteristic

Safety data

pH	3.5 - 6.0 at 1 %
Flash point	> 100 °C
Ignition temperature	approx. 405 °C
Density	approx. 0.98 g/cm ³ at 20 °C
Water solubility	dispersible
Viscosity, dynamic	<= 1,000 mPa.s at 20 °C Velocity gradient 7.5 /s

**MOVENTO**Version 1 / GB
102000016434

5/8

Revision Date: 26.08.2009

Print Date: 03.03.2010

Surface tension	28 mN/m at 25 °C
Explosivity	Not explosive.

10. STABILITY AND REACTIVITY

Conditions to Avoid	Extremes of temperature and direct sunlight.
Hazardous Reactions	No hazardous reactions when stored and handled according to prescribed instructions.

11. TOXICOLOGICAL INFORMATION

Acute Oral Toxicity	LD50 (rat) > 2,000 mg/kg
Acute Inhalation Toxicity	LC50 (rat) > 0.842 mg/l Exposure time: 4 h Determined in the form of a respirable aerosol. Highest attainable concentration.
Acute Dermal Toxicity	LD50 (rat) > 2,000 mg/kg
Skin Irritation	No skin irritation. (rabbit)
Eye Irritation	No eye irritation. (rabbit)
Sensitization	sensitizing (guinea pig) OECD Test Guideline 406, Buehler test Test conducted with a similar formulation.

12. ECOLOGICAL INFORMATION**Ecotoxicity effects**

Toxicity to Fish	LC50 (Rainbow trout (<i>Oncorhynchus mykiss</i>)) 9.48 mg/l Exposure time: 96 h Test conducted with a similar formulation.
Toxicity to daphnia	EC50 (Water flea (<i>Daphnia magna</i>)) \geq 42.7 mg/l Exposure time: 48 h The value mentioned relates to the active ingredient.
Toxicity to algae	IC50 (<i>Pseudokirchneriella subcapitata</i>) > 100 mg/l Growth rate; Exposure time: 72 h Test conducted with a similar formulation.

13. DISPOSAL CONSIDERATIONS**Product**

In accordance with current regulations and, if necessary, after consultation with the site

**MOVENTO**Version 1 / GB
102000016434

6/8

Revision Date: 26.08.2009

Print Date: 03.03.2010

operator and/or with the responsible authority, the product may be taken to a waste disposal site or incineration plant.

Advice may be obtained from the local waste regulation authority (part of the Environment Agency in the UK).

Contaminated packaging

Small containers (< 10 l or < 10 kg) should be rinsed thoroughly using an integrated pressure rinsing device, or, by manually rinsing three times.

Add washings to sprayer at time of filling.

Dispose of empty and cleaned packaging safely.

Large containers (> 25 l or > 25 kg) should not be rinsed or re-used for any other purpose.

Return large containers to supplier.

Follow advice on product label and/or leaflet.

Waste key for the unused product

020108 agrochemical waste containing dangerous substances

14. TRANSPORT INFORMATION**ADR/RID/ADNR**

UN-Number	3082
Labels	9
Packaging group	III
Hazard no.	90
Description of the goods	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (SPIROTETRAMATE SOLUTION)
Tunnel Code	E

This classification is in principle not valid for carriage by tank vessel on inland waterways.
Please refer to the manufacturer for further information.

IMDG

UN-Number	3082
Labels	9
Packaging group	III
EmS	F-A , S-F
Marine pollutant	Marine pollutant
Description of the goods	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (SPIROTETRAMATE SOLUTION)

IATA

UN-Number	3082
Labels	9
Packaging group	III
Description of the goods	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (SPIROTETRAMATE SOLUTION)

UK 'Carriage' Regulations

UN-Number	3082
Labels	9
Packaging group	III
Hazard no.	90

**MOVENTO**Version 1 / GB
102000016434

7/8

Revision Date: 26.08.2009

Print Date: 03.03.2010

Emergency action code	3Z
Description of the goods	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (SPIROTETRAMATE SOLUTION)

15. REGULATORY INFORMATION

This product has been classified in accordance with The Chemicals (Hazard Information and Packaging for Supply) Regulations 2002: CHIP 3 and any subsequent amendments.

Classification:

Labelling according to EC Directives

Hazardous components which must be listed on the label:

- Spirotetramat

Symbol(s)

Xi	Irritant
N	Dangerous for the environment

R-phrases(s)

R43	May cause sensitization by skin contact.
R51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

S-phrases(s)

S24	Avoid contact with skin.
S35	This material and its container must be disposed of in a safe way.
S37	Wear suitable gloves.
S57	Use appropriate container to avoid environmental contamination.

Exceptional labelling

To avoid risks to man and the environment, comply with the instructions for use.

Further information

WHO-classification: III (Slightly hazardous)

16. OTHER INFORMATION**Further information**

Text of R-phrases mentioned in Section 3

R22	Harmful if swallowed.
R36	Irritating to eyes.
R41	Risk of serious damage to eyes.
R43	May cause sensitization by skin contact.
R50	Very toxic to aquatic organisms.
R51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R52/53	Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

The above information is intended to give general health and safety guidance on the storage and transport of the product.

It is not intended to apply to the use of the product for which purposes the product label and any appropriate technical usage literature available should be consulted and any relevant licenses, consents or approvals complied with.

The requirements or recommendations of any relevant site or working procedure, system or



MOVENTO

Version 1 / GB
102000016434

8/8

Revision Date: 26.08.2009

Print Date: 03.03.2010

policy in force or arising from any risk assessment involving the substance or product should take precedence over any of the guidance contained in this safety data sheet where there is a difference in the information given.

The information provided in this safety data sheet is accurate at the date of publication and will be updated as and when appropriate.

No liability will be accepted for any injury, loss or damage resulting from any failure to take account of information or advice contained in this safety data sheet.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.